

## STEBEL MARCO - Lista pubblicazioni scientifiche

Relocation and Hair Cortisol Concentrations in New Zealand White Rabbits.

Peric T, Comin A, Corazzin M, Montillo M, Canavese F, Stebel M, Prandi A.

J Appl Anim Welf Sci. 2017 Jan-Mar;20(1):1-8. doi: 10.1080/10888705.2016.1183489. Epub 2016 May 18.

Podocyte expression of membrane transporters involved in puromycin aminonucleoside-mediated injury.

Zennaro C, Rastaldi MP, Pascolo L, Stebel M, Trevisan E, Artero M, Tiribelli C, Di Maso V, Carraro M.

PLoS One. 2013 Jun 20;8(6):e66159. doi: 10.1371/journal.pone.0066159. Print 2013.

Thoracic cage plasticity in prepubertal New Zealand white rabbits submitted to T1-T12 dorsal arthrodesis: computed tomography evaluation, echocardiographic assessment and cardio-pulmonary measurements.

Canavese F, Dimeglio A, Stebel M, Galeotti M, Canavese B, Cavalli F.

Eur Spine J. 2013 May;22(5):1101-12. doi: 10.1007/s00586-012-2644-x. Epub 2013 Jan 10.

In vivo visualization of gold-loaded cells in mice using x-ray computed tomography.

Astolfo A, Schültke E, Menk RH, Kirch RD, Juurlink BH, Hall C, Harsan LA, Stebel M, Barbetta D, Tromba G, Arfelli F.

Nanomedicine. 2013 Feb;9(2):284-92. doi: 10.1016/j.nano.2012.06.004. Epub 2012 Jul 25.

Stimulation of cardiac apoptosis in ovariectomized hypertensive rats: potential role of the renin-angiotensin system.

Fabris B, Candido R, Bortoletto M, Toffoli B, Bernardi S, Stebel M, Bardelli M, Zentilin L, Giacca M, Carretta R.

J Hypertens. 2011 Feb;29(2):273-81. doi: 10.1097/HJH.0b013e328340d0d3.

Insulin downregulates SIRT1 and AMPK activation and is associated with changes in liver fat, but not in inflammation and mitochondrial oxidative capacity, in streptozotocin-diabetic rat.

Barazzoni R, Zanetti M, Sturnega M, Stebel M, Semolic A, Pirulli A, Vinci P, Zentilin L, Giacca M, Cattin L, Guarnieri G.

Clin Nutr. 2011 Jun;30(3):384-90. doi: 10.1016/j.clnu.2010.11.001. Epub 2010 Nov 24.

Caloric restriction improves endothelial dysfunction during vascular aging: Effects on nitric oxide synthase isoforms and oxidative stress in rat aorta.

Zanetti M, Gortan Cappellari G, Burekovic I, Barazzoni R, Stebel M, Guarnieri G.

Exp Gerontol. 2010 Nov;45(11):848-55. doi: 10.1016/j.exger.2010.07.002. Epub 2010 Jul 14.

Conjugated PDT drug: photosensitizing activity and tissue distribution of PEGylated pheophorbide a.

Rapozzi V, Zacchigna M, Biffi S, Garrovo C, Cateni F, Stebel M, Zorzet S, Bonora GM, Drioli S, Xodo LE.

Cancer Biol Ther. 2010 Sep 1;10(5):471-82. Epub 2010 Oct 1.

Anti transglutaminase antibodies cause ataxia in mice.

Boscolo S, Lorenzon A, Sblattero D, Florian F, Stebel M, Marzari R, Not T, Aeschlimann D, Ventura A, Hadjivassiliou

M, Tongiorgi E. PLoS One. 2010 Mar 15;5(3):e9698. doi: 10.1371/journal.pone.0009698.

Dorsal arthrodesis in prepubertal New Zealand white rabbits followed to skeletal maturity: Effect on thoracic dimensions, spine growth and neural elements.

Canavese F, Dimeglio A, D'Amato C, Volpatti D, Granier M, Stebel M, Cavalli F, Canavese B.

Indian J Orthop. 2010 Jan;44(1):14-22. doi: 10.4103/0019-5413.57280.

Orally administered microencapsulated lysozyme downregulates serum AGE and reduces the severity of early-stage diabetic nephropathy.

Cocchietto M, Zorzin L, Toffoli B, Candido R, Fabris B, Stebel M, Sava G.

Diabetes Metab. 2008 Dec;34(6 Pt 1):587-94. doi: 10.1016/j.diabet.2008.05.009. Epub 2008 Oct 15.

Selective dorsal T1-T6 fusion of the thoracic spine and effects on thorax growth: experimental study in prepuberal New Zealand White rabbits.

Canavese F, Dimeglio A, Granier M, Beraldo P, Bonnel F, Stebel M, Daures JP, Canavese B, Cavalli F.

Rev Chir Orthop Reparatrice Appar Mot. 2008 Sep;94(5):490-7. doi: 10.1016/j.rco.2008.04.002. Epub 2008 May 21.

Oral analgesia before pediatric ketamine sedation is not associated with an increased risk of emesis and other adverse events.

McKee MR, Sharieff GQ, Kanegaye JT, Stebel M.

J Emerg Med. 2008 Jul;35(1):23-8. doi: 10.1016/j.jemermed.2007.08.076. Epub 2008 Mar 17.

Ghrelin enhances in vivo skeletal muscle but not liver AKT signaling in rats.

Barazzoni R, Zanetti M, Cattin MR, Visintin L, Vinci P, Cattin L, Stebel M, Guarnieri G.

Obesity (Silver Spring). 2007 Nov;15(11):2614-23.

Anti-idiotypic response in mice expressing human autoantibodies.

Di Niro R, Sblattero D, Florian F, Stebel M, Zentilin L, Giacca M, Villanacci V, Galletti A, Not T, Ventura A, Marzari R.

Mol Immunol. 2008 Mar;45(6):1782-91. Epub 2007 Nov 8.

Gluten ataxia: passive transfer in a mouse model.

Boscolo S, Sarich A, Lorenzon A, Passoni M, Rui V, Stebel M, Sblattero D, Marzari R, Hadjivassiliou M, Tongiorgi E.

Ann N Y Acad Sci. 2007 Jun;1107:319-28. Review.

Construction of miniantibodies for the in vivo study of human autoimmune diseases in animal models.

Di Niro R, Ziller F, Florian F, Crovella S, Stebel M, Bestagno M, Burrone O, Bradbury AR, Secco P, Marzari R, Sblattero D.

BMC Biotechnol. 2007 Aug 1;7:46.

Dorsal arthrodesis of thoracic spine and effects on thorax growth in prepubertal New Zealand white rabbits.

Canavese F, Dimeglio A, Volpatti D, Stebel M, Daures JP, Canavese B, Cavalli F.

Spine (Phila Pa 1976). 2007 Jul 15;32(16):E443-50.

TRAIL inhibits osteoclastic differentiation by counteracting RANKL-dependent p27Kip1 accumulation in pre-osteoclast precursors.

Zauli G, Rimondi E, Stea S, Baruffaldi F, Stebel M, Zerbinati C, Corallini F, Secchiero P.

J Cell Physiol. 2008 Jan;214(1):117-25.

Dose and time-dependent apoptotic effects by angiotensin II infusion on left ventricular cardiomyocytes.

Fabris B, Candido R, Bortoletto M, Zentilin L, Sandri M, Fior F, Toffoli B, Stebel M, Bardelli M, Belgrado D, Giacca M,

Carretta R. J Hypertens. 2007 Jul;25(7):1481-90.

Titanium implants with two different surfaces: Histomorphologic and histomorphometric evaluation in rabbit tibia.  
Biasotto M, Sandrucci MA, Antonioli F, Stebel M, Grill V, Di Lenarda R, Dorigo E.  
J Appl Biomater Biomech. 2005 Sep-Dec;3(3):168-75.

Dysregulation of the endothelial nitric oxide synthase-soluble guanylate cyclase pathway is normalized by insulin in the aorta of diabetic rat.  
Zanetti M, Barazzoni R, Stebel M, Roder E, Biolo G, Baralle FE, Cattin L, Guarnieri G.  
Atherosclerosis. 2005 Jul;181(1):69-73. Epub 2005 Feb 12.

Dual sugar gut-permeability testing on blood drop in animal models.  
Katouzian F, Sblattero D, Not T, Tommasini A, Giusto E, Meiacco D, Stebel M, Marzari R, Fasano A, Ventura A.  
Clin Chim Acta. 2005 Feb;352(1-2):191-7.

Moderate caloric restriction, but not physiological hyperleptinemia per se, enhances mitochondrial oxidative capacity in rat liver and skeletal muscle--tissue-specific impact on tissue triglyceride content and AKT activation.  
Barazzoni R, Zanetti M, Bosutti A, Biolo G, Vitali-Serdoz L, Stebel M, Guarnieri G.  
Endocrinology. 2005 Apr;146(4):2098-106. Epub 2004 Dec 23.

Myostatin expression is not altered by insulin deficiency and replacement in streptozotocin-diabetic rat skeletal muscles.  
Barazzoni R, Zanetti M, Bosutti A, Stebel M, Cattin L, Biolo G, Guarnieri G.  
Clin Nutr. 2004 Dec;23(6):1413-7.

Toxicity of *Hypericum perforatum* (St. John's wort) administered during pregnancy and lactation in rats.  
Gregoretto B, Stebel M, Candussio L, Crivellato E, Bartoli F, Decorti G.  
Toxicol Appl Pharmacol. 2004 Nov 1;200(3):201-5.

Ghrelin regulates mitochondrial-lipid metabolism gene expression and tissue fat distribution in liver and skeletal muscle.  
Barazzoni R, Bosutti A, Stebel M, Cattin MR, Roder E, Visintin L, Cattin L, Biolo G, Zanetti M, Guarnieri G.  
Am J Physiol Endocrinol Metab. 2005 Jan;288(1):E228-35. Epub 2004 Aug 24. Erratum in: Am J Physiol Endocrinol Metab. 2006 Aug;291(2):E428. Dosage error in published abstract; MEDLINE/PubMed abstract corrected; Dosage error in article text.

Lack of direct effect of moderate hyperleptinemia to improve endothelial function in lean rat aorta: role of calorie restriction.  
Zanetti M, Barazzoni R, Vadori M, Stebel M, Biolo G, Guarnieri G.  
Atherosclerosis. 2004 Aug;175(2):253-9.

Ganstigmine and donepezil improve neurodegeneration in AD11 antinerve growth factor transgenic mice.  
Capsoni S, Giannotta S, Stebel M, Garcia AA, De Rosa R, Villetti G, Imbimbo BP, Pietra C, Cattaneo A.  
Am J Alzheimers Dis Other Dement. 2004 May-Jun;19(3):153-60.

Hmga2 promoter analysis in transgenic mice.  
Schiltz JF, Rustighi A, Tessari MA, Liu J, Braghetta P, Sgarra R, Stebel M, Bressan GM, Altruda F, Giancotti V, Chada K, Manfioletti G. Biochem Biophys Res Commun. 2003 Oct 3;309(4):718-23.

Hyperleptinemia prevents increased plasma ghrelin concentration during short-term moderate caloric restriction in rats.

Barazzoni R, Zanetti M, Stebel M, Biolo G, Cattin L, Guarnieri G.  
Gastroenterology. 2003 May;124(5):1188-92.

Preparation of an antibody recognizing both human and rodent MRP1.

Fernetti C, Pascolo L, Podda E, Gennaro R, Stebel M, Tiribelli C.  
Biochem Biophys Res Commun. 2001 Nov 9;288(4):1064-8.

Analysis of the domain requirement in Gas1 growth suppressing activity.

Ruaro ME, Stebel M, Vatta P, Marzinotto S, Schneider C.  
FEBS Lett. 2000 Sep 15;481(2):159-63.

The growth suppressing gas1 product is a GPI-linked protein.

Stebel M, Vatta P, Ruaro ME, Del Sal G, Parton RG, Schneider C.  
FEBS Lett. 2000 Sep 15;481(2):152-8.

Ethanol metabolism and aging: the role of "first pass metabolism" and gastric alcohol dehydrogenase activity.

Pozzato G, Moretti M, Franzin F, Crocè LS, Lacchin T, Benedetti G, Sablich R, Stebel M, Campanacci L.  
J Gerontol A Biol Sci Med Sci. 1995 May;50(3):B135-41.

Effects of omeprazole on ethanol metabolism: an in vitro and in vivo rat and human study.

Pozzato G, Franzin F, Moretti M, Lachin T, Benedetti G, Sablich R, Marin M, Stebel M, Campanacci L.  
Pharmacol Res. 1994 Jan-Feb;29(1):47-58.

Difference in hepatic uptake of tetra- and di-bromosulfophthalein in rat. Role of hydrophobicity, binding to plasma proteins and affinity for plasma membrane carrier protein.

Torres AM, Stebel M, Rodriguez JV, Gazzin B, Lunazzi GC, Tiribelli C.  
Biochem Pharmacol. 1993 Sep 1;46(5):925-31.

Influence of acid-secretion blockers on gastric and hepatic alcohol dehydrogenase in rat.

Pozzato G, Stebel M, Lunazzi G, Moretti M, Franzin F.  
Scand J Clin Lab Invest. 1992 Nov;52(7):747-52.

Transport of sulfobromophthalein and taurocholate in the HepG2 cell line in relation to the expression of membrane carrier proteins.

Marchegiano P, Carubbi F, Tiribelli C, Amarri S, Stebel M, Lunazzi GC, Levy D, Bellentani S.  
Biochem Biophys Res Commun. 1992 Mar 31;183(3):1203-8.